

दूरभाष :
TELEPHONE :
तार : बार्क-मुंबई, चेम्बूर.
TELEGRAMS : BARC-MUMBAI, CHEMBUR.
फेक्स संख्या : ९१-२२-२५५० ५१५१
FAX NUMBER : 91-22-2550 5151



दोम्बे,
मुंबई-४०० ०८५.
TROMBAY,
MUMBAI-400 085.

भारत सरकार
GOVERNMENT OF INDIA
भाभा परमाणु अनुसंधान केन्द्र
BHABHA ATOMIC RESEARCH CENTRE

URANIUM EXTRACTION DIVISION

Ref: - UED/PI.13/21/ 20040

Date: 17.12.2021

TENDER No: BARC/UED/NO/21122

DUE DATE: 31/12/21

TENDER ENQUIRY

SUB: Installation, testing and commissioning of power and control panel for operation at UMP in UED, BARC.

Dear Sir / Madam,

Quotations are invited on behalf of Head, UED in sealed envelope for installation and testing of new panel for operation at UMP in UED, BARC.

1. **Scope of works: -**

- Installation, End Termination, Testing and Commissioning of power and control panels. The job involves grouting of panels with all necessary accessories like nut bolts, anchor fastener etc. Proper earthing should be provided to the panel if required earthing Patti to be laid by vendor (approx 10 meters).
- Installation of 1 panels of 2100x300x1875 mm
 - End termination of power and control panel with required glands, lugs, ferrules, name plate etc
 - The job involves end termination of 3.5 core 95 sq.mm Aluminum PVC armored power cable: 04Nos.
 - Supply and installation of lugs for 3.5Core 95sqmm cable – 24 Nos

- End termination and cabling for 95 sq.mm 3.5 core armored cable, glands required for termination : 10 Nos
- Supply of suitable ms support for 95 sq. mm saddling of cable on the wall wherever necessary.
- Supply of nut, bolts / screws for saddling of cables as required.
- End termination and ferruling should be done as per the instruction, and supervision of BARC personnel.
- All cable should be firmly placed on the trays using cable ties.
- **The vendor has to bring necessary qualified supervisors, riggers, electrician and tools to carry out the job at site.**

2. QUANTITY:

Total job is as tabulated below:

Sr No.	Equipment	Qty.
1.	Installation, End termination, Testing and Commissioning of power and control panel.	01 Sets
2.	Supply and Installation of 3.5 core 95 sq.mm PVC armored with Aluminum conductor of multi stands FRLS power cable	100 meters
3.	Supply and Installation of copper strips for earthing of panel.	20 meters

3. **TESTING:** The panel has to be tested with loads connected. The testing should be done in BARC and with equipment connected at the user site in the presence of the user.
4. **PRICE:** Offer should be including the entire scope of work Unit price should to be given in the offer, extra job, if any will be on pro rata basis only.
5. **FREE ISSUE MATERIALS:** No free issue material is to be provided by us.
6. **TOOLS AND TACKLES:** All the required tools for the work are to be brought by the vendor.
7. **SAFETY:** The contractor shall follow the Industrial Safety Regulations strictly. Any injury/damage caused contractor's work force during execution of this work for any reasons whatsoever shall be the liability of the contractor only. Any dispute regarding safety and labor related issues it will be the only responsibility of the vendor. The party should arrange all the safety appliances. As per BARC security norms, the contractor shall have to obtain in the police verification Certificate (PVC) to work inside BARC for all the persons to be employed for this

work and be comply with all security regulations strictly. Any injury/damage caused to the contractor's work force during execution of the job for any reason whatsoever shall be the liability of the contractor only. The vendor will be only responsible for any labor related dispute.

8. **VALIDITY:** Price should be valid throughout the contract period.
9. **COMPLETION PERIOD:** The job is to be completed within **3 Months** from the date of receipt of the order any delay which is liable to the contractor is liable for penalty @ 0.5% per week (5% maximum) to be imposed on the contractor.
10. **INCOME TAX:** Income Tax @2% as applicable shall be deducted from vendor's bill.
11. **PAYMENT:** 100% including taxes after receipt of the unit at our site, final acceptance of the total job and submission of the following documents:
 1. Delivery Challan.
 2. Advance Stamped Receipt.
 3. Original Bill.
 4. Guarantee certificate
 5. Job completion certificate.
12. **GENERAL INSTRUCTIONS:**
 - Vendor/Contractor should have pre-cleared Security Vetting of his company/Firm as per BARC Security rules.
 - Vendor/Contractor coming for discussion and getting tender enquiry should have valid pass of BARC. No TEP will be made by BARC.
 - All workers/labors of the Vendor's/Contractor's Company/Firm should have valid PVC (for minimum 04 persons) not expiring during the tender period (i.e., from the date of issue of this enquiry till completion of job after getting work order). No excuse thereafter getting WO will be entertained.
 - Vendor/Contractor and his work force should have experience of working in BARC premises related to above mentioned jobs.

13. **TERMS AND CONDITIONS:**

Note: [Reference: (2/Misc-9/Lgl/2001/92 dated April 30, 2001, BARC)]

Confidentiality: No party shall disclose any information to any third party concerning the matters under this contract generally. In particular, any information identified as "**Propriety**" in nature by the disclosing party shall be kept strictly confidential by the receiving party and shall not be disclosed to any third party without the prior written consent of the original disclosing party.

This clause shall apply to the sub-contractors, consultants, advisers or the employees engaged by a party with equal force.

"Restricted information" categories under Section 18 of the Atomic Energy Act, 1962 and "Official Secrets" under Section 5 of the Official Secrets Act, 1923:

Any contravention of the above –mentioned provisions by any contractor, sub-contractor, consultant, adviser or the employees of a contractor will invite penal consequences under the aforesaid legislation.

Prohibition against use of BARC's name without permission for publicity purposes:

The contractor or sub-contractor, consultant, adviser or the employees engaged by the contractor shall not use BARC's name for any publicity purpose through any public media like Press, Radio, TV or Internet without the prior written approval of BARC.

Party should write clearly the Tender No. and due date on the top of envelope. Quotation should be submitted on printed letter head and to be addressed to Head, Uranium Extraction Division, Bhabha Atomic Research Centre, Trombay, Mumbai - 85. Party should mention their own PAN/GST No. on top of quotation.

Party should send the Quotation using Indian postal service only i.e. speed post, registered post or ordinary post only and should not send the Quotation by private courier service. The quotations sent by private courier service will be treated as invalid.

Thanking you,

Yours faithfully,

Namrata
(Namrata Ojha) 16/12/21.
SA/D, UED

For and On Behalf of
President of India

P. Kalpa